



IP3 Calibration curve-EFC activity



	0.5nM
Best-fit values	
BOTTOM	37.54
TOP	142.5
LOGEC50	-1.200
HILLSLOPE	1.416
EC50	0.06305

Figure 1


Stability of IP3-FP Assay
Testing DTT in the IP3 dilution buffer
1:300 dilution of Binding Protein



	0'	30'	60'	120'	6hrs
BOTTOM	36.89	36.27	36.23	36.59	35.72
TOP	248.6	249.7	249.4	250.6	240.9
LOGEC50	-7.925	-7.909	-7.916	-7.897	-7.893
HILLSLOPE	-1.351	-1.326	-1.321	-1.353	-1.350
EC50	1.1880e-008	1.2340e-008	1.2130e-008	1.2670e-008	1.2790e-008

Figure 2

**IP3-FP: Calibration Curve
for testing CHO-M1 cell detection- 0 time point**




	BP in PD10	BP in PD10+DTT
BOTTOM	36.07	35.59
TOP	184.1	236.0
LOGEC50	-8.279	-7.914
HILLSLOPE	-1.076	-1.096
EC50	5.2550e-009	1.2200e-008

Figure 3a

0 Read time								
BP diluted in PD10/DTT buffer								
Sample				Avg		Change mPs	Cal. IP3 (nM)	Change in IP3 levels
Carbachol	30 K Uninduced	206.8	213.3	206.8	199.0	206.5	2.5	
	30K Induced	91.3	81.9	102.7	83.7	89.9	2.3	30.1
								12.0
	15 K Uninduced	215.6	228.8	218.1	238.3	225.2	0.89	
Acetylcholine	15 K Induced	87.1	89.2	90.6	97.9	91.2	2.5	29.2
								32.8
	30 K Uninduced	180.5	187.0	191.0	156.5	178.7	5.3	
	30K Induced	63.8	73.9	71.0	72.9	70.4	2.5	50.6
								9.5
	15 K Uninduced	218.4	225.2	219.4	220.1	220.8	1.25	
	15 K Induced	102.8	101.3	104.5	97.4	101.5	2.2	23.8
								19.0

Figure 3b

IP3-Cy3B 0.5 nM (BP lot # 55)
20 ul added ready to use



HILLSLOPE	-1.230
EC50	5.0030e-009

Figure 4






Figure 5



	Alexa 532
HILLSLOPE	-1.314
EC50	5.7560e-009

Figure 6



	Induced IP3	Uninduced
BOTTOM	2.599	2.130
TOP	13.58	2.728
LOGEC50	-4.267	-4.082
EC50	5.4050e-005	8.2790e-005

Figure 7

Cell Titration at Basal Level




Figure 8